Introduction to Logical Reasoning

Argument Diagrams

David Emmanuel Gray

Northwestern University in Qatar Carnegie Mellon University in Qatar


Diagraming an Argument

The defendant must go to jail because he is guilty of stealing the jewels.

[1] The defendant is guilty of stealing the jewels.

[C] The defendant must go to jail.

Diagraming an Argument



Independent Premises

The defendant signed a confession, thus he is guilty

of stealing the jewels. Furthermore, we know he was

present at the scene of the crime.

[1] The defendant signed a confession.

[2] The defendant was present at the scene of the crime.

[C] The defendant is guilty of stealing the jewels.

Independent Premises

An **independent premise** is one that does not depend on other premises to provide support for a conclusion. So denying or removing an independent premise does *not* undermine the support that the conclusion receives from any other premises.

Dependent Premises

The jewels were found in the defendant's pockets, and they would only be there if he stole them.

Therefore, he is guilty of stealing the jewels.

[1] The jewels were found in the defendant's pockets.

[2] The jewels would only be in the defendant's pockets if he stole them.

[C] The defendant is guilty of stealing the jewels.

Dependent Premises

A dependent premise is one that does depend on at least one other premise to provide joint support for a conclusion. So denying or removing an dependent premise *does* undermine the support that its linked premises give to the conclusion.

Chain Arguments


The defendant was present at the scene of the crime because his fingerprints were on the safe. We known this because the forensic report says so.

[2] The forensic report says the defendant's fingerprints were on the safe.

[1] The defendant's fingerprints were on the safe.

[C] The defendant was at the scene of the crime.

Chain Arguments



The Full Argument Diagram

The forensic report says the defendant's fingerprints were on the safe.

The defendant's fingerprints were on the safe.

The defendant was present at the scene of the crime.

The jewels would only be in the defendant's pockets if he stole them.

The defendant signed a confession.

The jewels were found in the defendant's pockets.

The defendant is guilty of stealing the jewels.


The defendant must go to jail.

Analytic Summary

The defendant must go to jail because he is guilty of stealing the jewels. There are three sets of reasons for this. First of all, the defendant signed a confession. Second, the jewels were found in the defendant's pockets and they would only be there if he stole them. Third and finally, the forensic report says the defendant's fingerprints were on the safe, and so his fingerprints must be those on the safe, thus implying that he was at the scene of the crime.

Different Argument Patterns

Learn to recognize the difference between these:



Next Class...

We will do more work with diagramming arguments.